

Min. Stairway Width

Story	Stairway	Min. Calculated Value	Min. Value per Sec. 1011.2	Final Min. Stairway Width
1	Stairway 1	3.30	36"	36"
	Stairway 2	7.80	36"	36"
	Stairway 3	3.30	36"	36"

Stairways designated as part of the accessible means of egress per Section 1009.3.2 are required to have 48" clear between handrails.

Fire Ratings

Interior Building Element Ratings

Story	Interior Building Element Type	Min. Fire Resistance Ratings (hrs.)
All	Primary structural frame	1
	Interior Bearing Walls	1
	Interior Nonbearing walls and partitions	0
	Floor construction and associated secondary structural members	1
	Roof construction and associated secondary structural members	1 (See note a)

The primary structural frame shall include all of the following structural members:

- The columns.
- Structural members having direct connections to the columns, including girders, beams, trusses and spandrels.
- Members of the floor construction and roof construction having direct connections to the columns.
- Bracing members that are essential to the vertical stability of the primary structural frame under gravity loading shall be considered part of the primary structural frame whether or not the bracing member carries gravity loads.

Min. Fire Wall Ratings

Any fire walls present must meet the minimum fire resistance ratings below by occupancy group

Occupancy Group	Min. Fire Wall Resistance Rating (hrs.)
B	2
S-2	2

Fire walls for occupancy groups A, B, E, H-4-I, R-1, R-2, and U within Type II or V construction are permitted to have a reduced fire-resistance rating. These values are reflected above.

Min. Fire Area Separation Ratings

Occupancy Group	Min. Fire Area Separation Rating (hrs.)
B	2
S-2	2

Where a building is divided into separate fire areas, so as to eliminate the need for an automatic fire sprinkler system, the fire walls, fire barriers, horizontal assemblies, or the combination thereof must be constructed in accordance with Table 707.3.10. In a mixed occupancy the higher rating must be used.

Min. Corridor Fire-Resistance Ratings

Each corridor must meet the minimum fire resistance ratings below

Story	Corridor	Occupancies Served	Corridor Rating (hrs.)
1	Corridor 1	B	0 (See note a)

Required Occupancy Separations

Required Separation of Occupancies (hours)

Occupancy	B	S-2
B	N	2
S-2	2	N

N = No occupancy separation requirement

Plumbing

Required Plumbing Fixtures

Story	Space Description	Occupancy Group	OL	Water Closets	Lavatories	Drinking Fountains	Other
1	Business, office, bank, tutoring center, or light industrial facility	B	41	Male: 0.82	Male: 0.51	0.41	-
				Female: 0.82	Female: 0.51		
	Storage structure or warehouse	S-2	5	Male: 0.03	Male: 0.03	0.01	-
				Female: 0.03	Female: 0.03		

At least one service sink is required. Service sinks should be provided for each tenant and at least one per building.

Fixtures By Story

Story	Occupancy Groups	OL	Water Closets	Lavatories	Drinking Fountains
1	B, S-2	46	Male: 1 Female: 1	Male: 1 Female: 1	1

Table 4-1 OLFs

Function of Space	Most similar Table 4-1 function	Table 4-1 OLF
-	-	-

Fixture Ratios

Space Description	Water Closets	Lavatories	Drinking Fountains	Other
Business, office, bank, tutoring center, or light industrial facility	Male: 1 per 25 for the first 50 and 1 per 50 for the remainder exceeding 50 Female: 1 per 25 for the first 50 and 1 per 50 for the remainder exceeding 50	Male: 1 per 40 for the first 80 and 1 per 80 for the remainder exceeding 80 Female: 1 per 40 for the first 80 and 1 per 80 for the remainder exceeding 80	1 per 100	
Storage structure or warehouse	Male: 1 per 100 Female: 1 per 100	Male: 1 per 100 Female: 1 per 100	1 per 1000	1 service sink

Max. urinal substitution of the required water closets in each toilet room: Assemblies and Educational occupancies = 67%; All others = 50%



A PROFESSIONAL ARCHITECTURAL CORPORATION

LAFAYETTE NEW ORLEANS
1720 KALISTE SALOOM ROAD 7222 SPRUCE STREET
SUITE B3 | LAFAYETTE, LA 70508 NEW ORLEANS, LA 70118

| 337.326.4470 | CHASEMARSHALL.COM |

Copyright © 2026 Chase Marshall
Under the Copyright Act 17, U.S.C. amended December 1, 1990, also known as the protection act of 1990, these documents are copyrighted and are subject to copyright protection as an "Architectural Work". The design, spacial forms, ideas, compositions and arrangement of items delineated in this set of plans are the property of Chase Marshall Architects. Unauthorized use of these plans can legally result in the cessation of such construction or building being seized and/or razed.

REGULATORY AGENCIES

FIRE PROTECTION AND LIFE SAFETY REVIEW:
LOUISIANA STATE FIRE MARSHAL
lasfm.louisiana.gov
8181 INDEPENDENCE BLVD
BATON ROUGE, LA 70806
(225) 925-4911

REFERENCED BUILDING CODES

BUILDING CODES: (NOT LIMITED TO THE FOLLOWING).

- 2021 INTERNATIONAL BUILDING CODE (IBC)
- 2021 INTERNATIONAL EXISTING BUILDING CODE (IEBC)
- 2021 INTERNATIONAL MECHANICAL CODE (IMC)
- 2021 INTERNATIONAL PLUMBING CODE (IPC)
- 2021 INTERNATIONAL FUEL GAS CODE (IFGC)
- 2020 NATIONAL ELECTRIC CODE (NEC)
- 2015 LIFE SAFETY CODE (NFPA 101)
- 2010 AMERICANS WITH DISABILITIES ACT - ARCHITECTURAL BARRIERS ACT (ADA)
- 2021 INTERNATIONAL ENERGY CONSERVATION CODE (IECC)

REVISIONS

NO.	DESCRIPTION	DATE
-----	-------------	------

THIRD FLOOR RENOVATION OF BLDG 29 LABORATORIES AT NIRC

4401 W. ADMIRAL DOYLE DRIVE,
NEW IBERIA, LOUISIANA
70560




BUILDING CODE INFORMATION

PROJECT NUMBER	DRAWN BY
2025.040	CC
DATE	CHECKED BY
APRIL 14, 2026	NM
PHASE	
100% BID SET	



A-005

LEGEND OF SYMBOLS

-  EXISTING PARTITION TO REMAIN
-  PARTITION TO BE DEMOLISHED
-  KEYED PLAN NOTE


KEYED DEMOLITION NOTES

- 16 DEMOLISH EXISTING CONCRETE IN THIS VICINITY.
- 26 DEMOLISH EXISTING CMU BLOCK WALL IN THIS VICINITY.

GENERAL DEMOLITION NOTES

- A. ALL EXISTING DIMENSIONS SHOWN ARE PLUS OR MINUS AND SHOULD BE VERIFIED, IF NECESSARY, ON THE PROJECT SITE.
- B. PROVIDE TEMPORARY AND ADEQUATE SUPPORT FOR ALL CONDITIONS MADE UNSTABLE AS A RESULT OF THE DEMOLITION PROCESS.
- C. THE CONTRACTOR SHALL PROTECT THE OWNER'S PROPERTY DURING THE DEMOLITION PHASE OF THE WORK. THE CONTRACTOR AGREES TO REPAIR AND/OR REPLACE ANY DAMAGE TO OWNER'S PROPERTY WITHOUT ADDITIONAL COST TO THE OWNER AS A RESULT OF THIS CONTRACT.
- D. THE CONTRACTOR SHALL COMPLETELY REMOVE FROM THIS SITE ALL ITEMS SHOWN TO BE REMOVED (AND NOT DESIGNATED TO BE TURNED IN). SUCH ITEMS SHALL BECOME THE CONTRACTOR'S PROPERTY.
- E. SELECTIVELY REMOVE WALLS AS SHOWN ON THE DRAWINGS. PREPARE SURFACES FOR NEW WORK.
- F. REMOVE ALL EXISTING FLOOR FINISHES AND BASE.
- G. REMOVE ALL EXISTING CEILING GRIDS AND TILES.
- H. CONTRACTOR SHALL VERIFY IF LANDLORD WANTS TO SALVAGE DOOR AND FRAMES REMOVED AS PART OF THIS WORK.
- I. CONTRACTOR IS RESPONSIBLE FOR ACCURATELY LOCATING EXISTING SANITARY LINE TO TIE NEW PLUMBING INTO. LOCATION AND MEASUREMENTS ARE ASSUMPTIONS AND SHOULD NOT BE USED AS AN EXACT LOCATION IN CONSTRUCTION.
- J. DASHED WINDOWS INDICATE THAT THE WINDOW IS ABOVE THE FLOOR PLANS CUT PLANE OF 4'-0". REFER TO KEYNOTES REGARDING DEMOLITION OF EXISTING WINDOWS.

KEY PLAN




REVISIONS

NO.	DESCRIPTION	DATE


THIRD FLOOR RENOVATION OF BLDG 29 LABORATORIES AT NIRC

4401 W. ADMIRAL DOYLE DRIVE,
 NEW IBERIA, LOUISIANA
 70560


FIRST FLOOR DEMOLITION PLAN



PROJECT NUMBER	2025.040	DRAWN BY	KS
DATE	APRIL 14, 2026	CHECKED BY	NM
PHASE	100% BID SET		



AD-101



FIRST FLOOR - DEMOLITION FLOOR PLAN | 1
 1" = 10'-0"

LEGEND OF SYMBOLS

- EXISTING PARTITION TO REMAIN
- PARTITION TO BE DEMOLISHED
- KEYED PLAN NOTE


KEYED DEMOLITION NOTES

- 01 REMOVE ALL EXISTING CEILING GRIDS, TILES, LIGHT FIXTURES, AND EMERGENCY EXIT SIGNAGE. COMPLETE. TYP.
- 02 REMOVE EXISTING FLOOR FINISH. CONTRACTOR TO PREPARE EXISTING SLAB AS REQUIRED TO RECEIVE NEW EPOXY COATING.
- 04 REMOVE EXISTING DOOR, DOOR FRAMES, AND ASSOCIATED HARDWARE. COMPLETE. TYP.
- 08 PARTIALLY DEMOLISH WALL TO ACCOMMODATE FOR NEW DOOR. RE: NEW WORK.
- 17 DEMOLISH EXISTING CONCRETE LEDGE IN THIS VICINITY.

GENERAL DEMOLITION NOTES

- A. ALL EXISTING DIMENSIONS SHOWN ARE PLUS OR MINUS AND SHOULD BE VERIFIED, IF NECESSARY, ON THE PROJECT SITE.
- B. PROVIDE TEMPORARY AND ADEQUATE SUPPORT FOR ALL CONDITIONS MADE UNSTABLE AS A RESULT OF THE DEMOLITION PROCESS.
- C. THE CONTRACTOR SHALL PROTECT THE OWNER'S PROPERTY DURING THE DEMOLITION PHASE OF THE WORK. THE CONTRACTOR AGREES TO REPAIR AND/OR REPLACE ANY DAMAGE TO OWNER'S PROPERTY WITHOUT ADDITIONAL COST TO THE OWNER AS A RESULT OF THIS CONTRACT.
- D. THE CONTRACTOR SHALL COMPLETELY REMOVE FROM THIS SITE ALL ITEMS SHOWN TO BE REMOVED (AND NOT DESIGNATED TO BE TURNED IN). SUCH ITEMS SHALL BECOME THE CONTRACTOR'S PROPERTY.
- E. SELECTIVELY REMOVE WALLS AS SHOWN ON THE DRAWINGS. PREPARE SURFACES FOR NEW WORK.
- F. REMOVE ALL EXISTING FLOOR FINISHES AND BASE.
- G. REMOVE ALL EXISTING CEILING GRIDS AND TILES.
- H. CONTRACTOR SHALL VERIFY IF LANDLORD WANTS TO SALVAGE DOOR AND FRAMES REMOVED AS PART OF THIS WORK.
- I. CONTRACTOR IS RESPONSIBLE FOR ACCURATELY LOCATING EXISTING SANITARY LINE TO TIE NEW PLUMBING INTO. LOCATION AND MEASUREMENTS ARE ASSUMPTIONS AND SHOULD NOT BE USED AS AN EXACT LOCATION IN CONSTRUCTION.
- J. DASHED WINDOWS INDICATE THAT THE WINDOW IS ABOVE THE FLOOR PLAN'S CUT PLANE OF 4'-0". REFER TO KEYNOTES REGARDING DEMOLITION OF EXISTING WINDOWS.

KEY PLAN



REVISIONS


NO.	DESCRIPTION	DATE

THIRD FLOOR RENOVATION OF BLDG 29 LABORATORIES AT NIRC


4401 W. ADMIRAL DOYLE DRIVE,
 NEW IBERIA, LOUISIANA
 70560

SECOND FLOOR DEMOLITION PLAN

PROJECT NUMBER	2025.040	DRAWN BY	CC
DATE	APRIL 14, 2026	CHECKED BY	NM
PHASE	100% BID SET		



AD-102



SECOND FLOOR - DEMOLITION FLOOR PLAN | 1
 1" = 10'-0"

Copyright © 2026 Chase Marshall
Under the Copyright Act 17, U.S.C. amended December 1, 1990, also known as the
protection Act of 1990, these documents are copyrighted and are subject to copyright
protection as an "Architectural Work". The design, spatial forms, ideas, compositions
and arrangement of items delineated in this set of plans are the property of Chase
Marshall Architects. Unauthorized use of these plans can legally result in the
cessation of such construction or building being seized and/or razed.

LEGEND OF SYMBOLS

- EXISTING PARTITION TO REMAIN
- PARTITION TO BE DEMOLISHED
- KEYED PLAN NOTE


KEYED DEMOLITION NOTES

- 12 REMOVE EXISTING WALL AND PREPARE FOR NEW WINDOW INSTALLATION
- 17 DEMOLISH EXISTING CONCRETE LEDGE IN THIS VICINITY.
- 18 DEMOLISH EXISTING WALL.
- 19 DEMO EXISTING CONCRETE SLAB, AS NEEDED, FOR NEW PLUMBING IN THIS VICINITY.
- 25 REMOVE EXISTING LOUVER.
- 27 PATCH AND FILL EXISTING CONCRETE SLAB AS REQUIRED; MAKE LEVEL.
- 29 PATCH AND FILL FLOOR AT EXISTING RESTROOMS.
- 30 REMOVE EXISTING DOOR, DOOR FRAME, AND ASSOCIATED HARDWARE, COMPLETE. REPLACE WITH NEW DOOR, FRAME, AND HARDWARE. RE: NEW WORK

GENERAL DEMOLITION NOTES

- A. ALL EXISTING DIMENSIONS SHOWN ARE PLUS OR MINUS AND SHOULD BE VERIFIED, IF NECESSARY, ON THE PROJECT SITE.
- B. PROVIDE TEMPORARY AND ADEQUATE SUPPORT FOR ALL CONDITIONS MADE UNSTABLE AS A RESULT OF THE DEMOLITION PROCESS.
- C. THE CONTRACTOR SHALL PROTECT THE OWNER'S PROPERTY DURING THE DEMOLITION PHASE OF THE WORK; THE CONTRACTOR AGREES TO REPAIR AND/OR REPLACE ANY DAMAGE TO OWNER'S PROPERTY WITHOUT ADDITIONAL COST TO THE OWNER AS A RESULT OF THIS CONTRACT.
- D. THE CONTRACTOR SHALL COMPLETELY REMOVE FROM THIS SITE ALL ITEMS SHOWN TO BE REMOVED (AND NOT DESIGNATED TO BE TURNED IN). SUCH ITEMS SHALL BECOME THE CONTRACTOR'S PROPERTY.
- E. SELECTIVELY REMOVE WALLS AS SHOWN ON THE DRAWINGS; PREPARE SURFACES FOR NEW WORK.
- F. REMOVE ALL EXISTING FLOOR FINISHES AND BASE.
- G. REMOVE ALL EXISTING CEILING GRIDS AND TILES.
- H. CONTRACTOR SHALL VERIFY IF LANDLORD WANTS TO SALVAGE DOOR AND FRAMES REMOVED AS PART OF THIS WORK.
- I. CONTRACTOR IS RESPONSIBLE FOR ACCURATELY LOCATING EXISTING SANITARY LINE TO TIE NEW PLUMBING INTO LOCATION AND MEASUREMENTS ARE ASSUMPTIONS AND SHOULD NOT BE USED AS AN EXACT LOCATION IN CONSTRUCTION.
- J. DASHED WINDOWS INDICATE THAT THE WINDOW IS ABOVE THE FLOOR PLANS CUT PLANE OF 4'-0". REFER TO KEYNOTES REGARDING DEMOLITION OF EXISTING WINDOWS.

KEY PLAN




REVISIONS

NO.	DESCRIPTION	DATE


THIRD FLOOR RENOVATION OF BLDG 29 LABORATORIES AT NIRC

4401 W. ADMIRAL DOYLE DRIVE,
NEW IBERIA, LOUISIANA
70560


THIRD FLOOR DEMOLITION PLAN



PROJECT NUMBER 2025.040 DRAWN BY CC
DATE APRIL 14, 2026 CHECKED BY NM
PHASE 100% BID SET






AD-103



THIRD FLOOR - DEMOLITION FLOOR PLAN | 1
1" = 10'-0"

Copyright © 2026 Chase Marshall
Under the Copyright Act 17, U.S.C. amended December 1, 1990, also known as the
protection act of 1990, these documents are copyrighted and are subject to copyright
protection as an "Architectural Work". The design, spacial forms, ideas, compositions
and arrangement of items delineated in this set of plans are the property of Chase
Marshall Architects. Unauthorized use of these plans can legally result in the
cessation of such construction or building being seized and/or razed.

LEGEND OF SYMBOLS

-  EXISTING PARTITION TO REMAIN
-  PARTITION TO BE DEMOLISHED
-  KEYED PLAN NOTE


KEYED DEMOLITION NOTES

- 20 REMOVE EXISTING ROOF MEMBRANE IN THIS VICINITY DOWN TO CONCRETE DECK, WHICH IS TO REMAIN. PREPARE EXISTING CONCRETE SUBSTRATE FOR NEW ROOF AS PER ROOF MANUFACTURER.
- 21 REMOVE AND REPLACE EXISTING ROOF SCUTTLE IN THIS VICINITY.
- 22 REMOVE EXISTING ROOF PENETRATION IN THIS VICINITY.
- 23 (ALTERNATE #1) REMOVE AND REPLACE ALL EXISTING GUTTERS AND DOWNSPOUTS WHERE NEW ROOF IS BEING INSTALLED.
- 24 TRIM EXISTING ROOF DECK IN THIS LOCATION SUCH THAT THE WESTERN EDGE IS FLUSH WITH THE EXISTING CONCRETE WALL BELOW.
- 31 (ALTERNATE #1) REROOF WINGS - REMOVE EXISTING ROOF MEMBRANE IN THIS VICINITY DOWN TO CONCRETE DECK, WHICH IS TO REMAIN. PREPARE EXISTING CONCRETE SUBSTRATE FOR NEW ROOF AS PER ROOF MANUFACTURER.

GENERAL DEMOLITION NOTES

- A. ALL EXISTING DIMENSIONS SHOWN ARE PLUS OR MINUS AND SHOULD BE VERIFIED, IF NECESSARY, ON THE PROJECT SITE.
- B. PROVIDE TEMPORARY AND ADEQUATE SUPPORT FOR ALL CONDITIONS MADE UNSTABLE AS A RESULT OF THE DEMOLITION PROCESS.
- C. THE CONTRACTOR SHALL PROTECT THE OWNER'S PROPERTY DURING THE DEMOLITION PHASE OF THE WORK. THE CONTRACTOR AGREES TO REPAIR AND/OR REPLACE ANY DAMAGE TO OWNER'S PROPERTY WITHOUT ADDITIONAL COST TO THE OWNER AS A RESULT OF THIS CONTRACT.
- D. THE CONTRACTOR SHALL COMPLETELY REMOVE FROM THIS SITE ALL ITEMS SHOWN TO BE REMOVED (AND NOT DESIGNATED TO BE TURNED IN). SUCH ITEMS SHALL BECOME THE CONTRACTOR'S PROPERTY.
- E. SELECTIVELY REMOVE WALLS AS SHOWN ON THE DRAWINGS. PREPARE SURFACES FOR NEW WORK.
- F. REMOVE ALL EXISTING FLOOR FINISHES AND BASE.
- G. REMOVE ALL EXISTING CEILING GRIDS AND TILES.
- H. CONTRACTOR SHALL VERIFY IF LANDLORD WANTS TO SALVAGE DOOR AND FRAMES REMOVED AS PART OF THIS WORK.
- I. CONTRACTOR IS RESPONSIBLE FOR ACCURATELY LOCATING EXISTING SANITARY LINE TO TIE NEW PLUMBING INTO. LOCATION AND MEASUREMENTS ARE ASSUMPTIONS AND SHOULD NOT BE USED AS AN EXACT LOCATION IN CONSTRUCTION.
- J. DASHED WINDOWS INDICATE THAT THE WINDOW IS ABOVE THE FLOOR PLANS CUT PLANE OF 4'-0". REFER TO KEYNOTES REGARDING DEMOLITION OF EXISTING WINDOWS.

KEY PLAN




REVISIONS

NO.	DESCRIPTION	DATE
-----	-------------	------



THIRD FLOOR RENOVATION OF BLDG 29 LABORATORIES AT NIRC

4401 W. ADMIRAL DOYLE DRIVE,
NEW IBERIA, LOUISIANA
70560

DEMOLITION ROOF PLAN






PROJECT NUMBER 2025.040	DRAWN BY CC
DATE APRIL 14, 2026	CHECKED BY Checker
PHASE 100% BID SET	



Copyright © 2024 Chase Marshall
Under the Copyright Act 17, U.S.C. amended December 1, 1990, also known as the
protection act of 1990, these documents are copyrighted and are subject to copyright
protection as an "Architectural Work". The design, spatial forms, ideas, compositions
and arrangement of items delineated in this set of plans are the property of Chase
Marshall Architects. Unauthorized use of these plans can legally result in the
cessation of such construction or building being seized and/or razed.

LEGEND OF SYMBOLS





-  EXISTING PARTITION TO REMAIN
-  PARTITION TO BE DEMOLISHED
-  KEYED PLAN NOTE

KEYED DEMOLITION NOTES

- 03 REMOVE EXISTING WINDOWS, TYP. SEE SHEET AD-201.
- 04 REMOVE EXISTING DOOR, DOOR FRAMES, AND ASSOCIATED HARDWARE, COMPLETE, TYP.
- 08 PARTIALLY DEMOLISH WALL TO ACCOMMODATE FOR NEW DOOR, RE: NEW WORK.
- 09 REMOVE EXISTING EXTERIOR DOOR, DOOR FRAME, AND ASSOCIATED HARDWARE, COMPLETE, TYP. INFILL WITH METAL STUDS & SHEATHING.
- 12 REMOVE EXISTING WALL AND PREPARE FOR NEW WINDOW INSTALLATION.
- 13 REMOVE EXISTING CMU WALL TO ALLOW FOR INSTALLATION OF NEW WINDOWS, RE: NEW WORK, TYP.; RE: A-602.
- 14 REMOVE EXISTING PLYWOOD AND WOOD PANELING, REPLACE WITH CMU, RE: NEW WORK (NOTE 'K' IN GENERAL NOTES ON SHEETS A-421-A-425), TYP.
- 15 REMOVE EXISTING HAND RAILING ATTACHED TO EXTERIOR WALL.
- 21 REMOVE AND REPLACE EXISTING ROOF SCUTTLE IN THIS VICINITY.
- 23 **ALTERNATE #1** REMOVE AND REPLACE ALL EXISTING GUTTERS AND DOWNSPOUTS WHERE NEW ROOF IS BEING INSTALLED.
- 25 REMOVE EXISTING LOUVER.
- 28 REMOVE EXISTING HANDRAILS AND REPLACE WITH NEW HANDRAILS AND GUARDRAILS AS PER CODE; RE: A-453.

GENERAL DEMOLITION NOTES

- A. ALL EXISTING DIMENSIONS SHOWN ARE PLUS OR MINUS AND SHOULD BE VERIFIED, IF NECESSARY, ON THE PROJECT SITE.
- B. PROVIDE TEMPORARY AND ADEQUATE SUPPORT FOR ALL CONDITIONS MADE UNSTABLE AS A RESULT OF THE DEMOLITION PROCESS.
- C. THE CONTRACTOR SHALL PROTECT THE OWNER'S PROPERTY DURING THE DEMOLITION PHASE OF THE WORK. THE CONTRACTOR AGREES TO REPAIR AND/OR REPLACE ANY DAMAGE TO OWNER'S PROPERTY WITHOUT ADDITIONAL COST TO THE OWNER AS A RESULT OF THIS CONTRACT.
- D. THE CONTRACTOR SHALL COMPLETELY REMOVE FROM THIS SITE ALL ITEMS SHOWN TO BE REMOVED (AND NOT DESIGNATED TO BE TURNED IN). SUCH ITEMS SHALL BECOME THE CONTRACTOR'S PROPERTY.
- E. SELECTIVELY REMOVE WALLS AS SHOWN ON THE DRAWINGS. PREPARE SURFACES FOR NEW WORK.
- F. REMOVE ALL EXISTING FLOOR FINISHES AND BASE.
- G. REMOVE ALL EXISTING CEILING GRIDS AND TILES.
- H. CONTRACTOR SHALL VERIFY IF LANDLORD WANTS TO SALVAGE DOOR AND FRAMES REMOVED AS PART OF THIS WORK.
- I. CONTRACTOR IS RESPONSIBLE FOR ACCURATELY LOCATING EXISTING SANITARY LINE TO THE NEW PLUMBING INTO. LOCATION AND MEASUREMENTS ARE ASSUMPTIONS AND SHOULD NOT BE USED AS AN EXACT LOCATION IN CONSTRUCTION.
- J. DASHED WINDOWS INDICATE THAT THE WINDOW IS ABOVE THE FLOOR PLAN'S CUT PLANE OF 4'-0". REFER TO KEYNOTES REGARDING DEMOLITION OF EXISTING WINDOWS.



REVISIONS


NO.	DESCRIPTION	DATE

THIRD FLOOR RENOVATION OF BLDG 29 LABORATORIES AT NIRC

4401 W. ADMIRAL DOYLE DRIVE,
NEW IBERIA, LOUISIANA
70560

DEMOLITION ELEVATIONS

PROJECT NUMBER	DRAWN BY
2025.040	CC
DATE	CHECKED BY
APRIL 14, 2026	NM
PHASE	
100% BID SET	





EXISTING SOUTH FACADE - WEST WING
N.T.S. 9



EXISTING SOUTH FACADE - CENTER
N.T.S. 6



EXISTING SOUTH FACADE - EAST WING
N.T.S. 3



EXISTING NORTH FACADE - EAST WING
N.T.S. 8



EXISTING NORTH FACADE - CENTER
N.T.S. 5



EXISTING NORTH FACADE - WEST WING
N.T.S. 2



EXISTING SLAB CONDITION NORTH @ 1ST FLOOR - CENTER
N.T.S. 7



EXISTING NORTH FACADE - MECHANICAL
N.T.S. 4



EXISTING BRICK LEDGE @ CMU (TYP.)
N.T.S. 1

REVISIONS


NO.	DESCRIPTION	DATE
-----	-------------	------


THIRD FLOOR RENOVATION OF BLDG 29 LABORATORIES AT NIRC

4401 W. ADMIRAL DOYLE DRIVE,
 NEW IBERIA, LOUISIANA
 70560


EXISTING PHOTOS

PROJECT NUMBER	DATE	PHASE	DRAWN BY	CHECKED BY
2025.040	APRIL 14, 2026	100% BID SET	CC	Checker





EXISTING CENTER STAIR AT LANDING BETWEEN SECOND AND THIRD FLOORS **6**
N.T.S



EXISTING THIRD FLOOR INTERIOR **3**
N.T.S



EXISTING CENTER STAIR AT SECOND FLOOR **8**
N.T.S




EXISTING ROOF ACCESS FROM THIRD FLOOR **5**
N.T.S



EXISTING INTERIOR CMU BLOCK (TYP.) **2**
N.T.S



EXISTING EAST STAIR **7**
N.T.S



EXISTING RAILINGS AT EAST AND WEST STAIRS **4**
N.T.S



EXISTING WEST STAIR **1**
N.T.S

REVISIONS

NO.	DESCRIPTION	DATE
-----	-------------	------

THIRD FLOOR RENOVATION OF BLDG 29 LABORATORIES AT NIRC

4401 W. ADMIRAL DOYLE DRIVE,
NEW IBERIA, LOUISIANA
70560

EXISTING PHOTOS

PROJECT NUMBER 2025.040	DRAWN BY CC
DATE APRIL 14, 2026	CHECKED BY Checker
PHASE 100% BID SET	

